
L Number	Hits	Search Text	DB	Time stamp
1	329982	\$mail \$message	USPAT;	2004/01/05 16:35
'	0_000_		US-PGPUB:	
			EPO; JPO;	
		;	DERWENT;	
			IBM TDB	
2	940	((reply response) near3 template)	USPAT;	2004/01/05 16:37
-	040	((reply response) results templately	US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
3	113	(\$mail \$message) same (((reply response) near3 template))	USPAT;	2004/01/05 16:36
"	113	(((reply response) heard template))	US-PGPUB;	200-70 1700 10.00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	290605	classif\$ categoriz\$	USPAT;	2004/01/05 16:37
	290003	Classily Categorizy	US-PGPUB;	200-701700 10.07
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	6602	(\$mail \$message) same (classif\$ categoriz\$)	USPAT;	2004/01/05 16:39
6	0002	(willall willessage) saille (classify categorizy)	US-PGPUB;	2004/01/03 10:33
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
9	4349073	(Al (artific® adjintalligan®) (avnort adj system) ES)	USPAT;	2004/01/05 16:39
9	4349073	(Al (artific\$ adj intelligen\$) (expert adj system) ES)	US-PGPUB;	2004/01/05 10.39
1			EPO; JPO;	
1			DERWENT:	
			IBM_TDB	
10	46850	(\$mail \$message) same ((Al (artific\$ adj intelligen\$) (expert	USPAT;	2004/01/05 16:40
'0	40000		US-PGPUB;	2004/01/03 10.40
		adj system) ES))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
44	42	//fmail fmanages) same ///reply represed near2 template)))	USPAT;	2004/01/05 16:40
11	13	((\$mail \$message) same (((reply response) near3 template))) and ((\$mail \$message) same (classif\$ categoriz\$)) and ((\$mail	US-PGPUB;	2004/01/05 10.40
		\$message) same ((Al (artific\$ adj intelligen\$) (expert adj	EPO; JPO;	
		system) ES)))	DERWENT;	
		System ES///	IBM_TDB	
12	5	(((\$mail \$message) same (((reply response) near3 template)))	USPAT;	2004/01/05 16:40
12	3	and ((\$mail \$message) same ((lepty response) hears template))	US-PGPUB;	2004/01/03 10.40
		\$message) same ((Al (artific\$ adj intelligen\$) (expert adj	EPO; JPO;	
		system) ES)))) and (@ad<20000921 @rlad<20000921)	DERWENT;	
		system) E3/// and (@ad~20000321 @nad~20000321)	IBM_TDB	
_	58905	((e electronic) adj (message mail)) email e-mail	USPAT;	2004/01/05 16:35
1	30903	((C circulottic) auj (message mail) email e-mail	US-PGPUB;	2004/01/00 10:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	9624	(((e electronic) adj (message mail)) email e-mail) same (icon	USPAT;	2003/10/16 12:57
	3024	(((e electronic) adj (message maii)) emaii e-maii) same (icon	US-PGPUB;	
		inage grapine)	EPO; JPO;	
[DERWENT;	
			IBM_TDB	
_	240	((((e electronic) adj (message mail)) email e-mail) same	USPAT;	2003/10/16 12:54
	240	(((categor\$3 classify\$3 classificat43)) same (icon image	US-PGPUB;	=000/10/10 12.04
		graphic)	EPO; JPO;	
1		grapino)	DERWENT;	
			IBM_TDB	
_	15	RAGHUNANDAN.in.	USPAT;	2003/10/16 12:29
-	13	NACHONANUANII.	US-PGPUB;	2000/10/10 12.29
			EPO; JPO;	
			DERWENT;	
j			IBM_TDB	
L			םטו_ואוטו	

-	138	(((((e electronic) adj (message mail)) email e-mail) same	USPAT;	2003/10/16 12:33
		(categor\$3 classify\$3 classificat43)) same (icon image	US-PGPUB;	
		graphic)) and (@ad<20000921 @rlad<20000921)	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	16	(((((e electronic) adj (message mail)) email e-mail) same	USPAT;	2003/10/16 12:33
		(categor\$3 classify\$3 classificat43)) same (icon image	US-PGPUB;	
		graphic)) same (pars\$3 extract\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	((((((e electronic) adj (message mail)) email e-mail) same	USPAT;	2003/10/16 12:37
		(categor\$3 classify\$3 classificat43)) same (icon image	US-PGPUB;	
		graphic)) same (pars\$3 extract\$3)) and (@ad<20000921	EPO; JPO;	
		@rlad<20000921)	DERWENT;	
	4004	700/005	IBM_TDB	2002/40/46 42:26
-	1091	709/205	USPAT;	2003/10/16 12:36
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
I _	2567	709/206	USPAT;	2003/10/16 12:36
-	2307	1031200	US-PGPUB;	2000/10/10 12:30
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
_	69604	(image icon graphic) and (categor\$3 classify\$3 classificat\$3)	USPAT;	2003/10/16 12:57
	00004	(inage toon graphino) and (sategorite stassinyte stassingarts)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	13832	(image icon graphic) with (categor\$3 classify\$3 classificat\$3)	USPAT;	2003/10/16 12:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	29	((image icon graphic) with (categor\$3 classify\$3 classificat\$3))	USPAT;	2003/10/16 12:55
		same (color near5 (message subject header))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	(((image icon graphic) with (categor\$3 classify\$3	USPAT;	2003/10/16 12:55
		classificat\$3)) same (color near5 (message subject header)))	US-PGPUB;	
	1	and (@ad<20000921 @rlad<20000921)	EPO; JPO;	
	1		DERWENT;	
1	9004	///o clostropio) adi /managga mail\\ amail a mail\ aama /iaan	IBM_TDB	2002/10/16 12:59
-	8994	(((e electronic) adj (message mail)) email e-mail) same (icon	USPAT; US-PGPUB;	2003/10/16 12:58
	1	image symbol)	EPO; JPO;	
1			DERWENT;	
			IBM TDB	
1_	32	((((e electronic) adj (message mail)) email e-mail) same (icon	USPAT;	2003/10/16 12:58
-	32	((((e electronic) adj (message maii)) emaii e-maii) same (icon image symbol)) same classify\$4	US-PGPUB;	2000/10/10 12.00
		image symbol)/ same diasony##	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	(((((e electronic) adj (message mail)) email e-mail) same (icon	USPAT;	2003/10/16 12:58
		image symbol)) same classify\$4) and (@ad<20000921	US-PGPUB;	
		@rlad<20000921)	EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
-	379	709/207.ccls.	USPAT;	2003/12/22 16:41
1			US-PGPUB;	
1			EPO; JPO;	
}			DERWENT;	
			IBM_TDB	



-	13551	(((e electronic) adj (message mail)) email e-mail) same (analyz\$3 determin\$3 identify\$3)	USPAT; US-PGPUB; EPO; JPO;	2003/12/22 17:26
			DERWENT; IBM_TDB	
-	1954	((((e electronic) adj (message mail)) email e-mail) same	USPAT;	2003/12/22 17:24
		(analyz\$3 determin\$3 identify\$3)) same (\$3relat\$3)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	21	(((((e electronic) adj (message mail)) email e-mail) same	USPAT;	2003/12/22 17:24
		(analyz\$3 determin\$3 identify\$3)) same (\$3relat\$3)) same	US-PGPUB;	
		(automatic\$4 near3 (reply respon\$4))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	16	((((((e electronic) adj (message mail)) email e-mail) same	USPAT;	2003/12/22 17:24
		(analyz\$3 determin\$3 identify\$3)) same (\$3relat\$3)) same (automatic\$4 near3 (reply respon\$4))) and (@ad<20000921	US-PGPUB; EPO; JPO;	
		@rlad<20000921)	DERWENT;	
:			IBM_TDB	
-	222	((((e electronic) adj (message mail)) email e-mail) same (analyz\$3 determin\$3 identify\$3)) same (co-relat\$3 correlat\$3)	USPAT; US-PGPUB;	2003/12/22 17:24
		(analyzęs determinęs identifyęs)) same (co-relatęs correlatęs)	EPO; JPO;	
			DERWENT;	
		////a alastrania) adi (massaga mail)) amail a mail) sama	IBM_TDB USPAT;	2003/12/22 17:27
•	4	(((((e electronic) adj (message mail)) email e-mail) same (analyz\$3 determin\$3 identify\$3)) same (co-relat\$3	US-PGPUB;	2003/12/22 17.27
		correlat\$3)) same (automatic\$4 near3 (reply respon\$4))	EPO; JPO;	
			DERWENT;	
_	3	((((((e electronic) adj (message mail)) email e-mail) same	IBM_TDB USPAT;	2003/12/22 17:24
		(analyz\$3 determin\$3 identify\$3)) same (co-relat\$3	US-PGPUB;	
		correlat\$3)) same (automatic\$4 near3 (reply respon\$4))) and	EPO; JPO; DERWENT;	
		(@ad<20000921 @rlad<20000921)	IBM_TDB	
-	89	(((e electronic) adj (message mail)) email e-mail) same	USPAT;	2003/12/22 17:27
		((analyz\$3 determin\$3 identify\$3) with (co-relat\$3 correlat\$3))	US-PGPUB; EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	7	((((e electronic) adj (message mail)) email e-mail) same ((analyz\$3 determin\$3 identify\$3) with (co-relat\$3 correlat\$3)))	USPAT; US-PGPUB;	2003/12/22 17:28
		same ((prepar\$3 generat\$3 creat\$3 construct) with (template	EPO; JPO;	
		form format reply respon\$4))	DERWENT;	
	62390	((e electronic) adj (message mail)) email e-mail	IBM_TDB USPAT:	2003/12/23 14:03
	02000	((C Ciconomic) and (message mail) email e-mail	US-PGPUB;	2000/12/20 14:00
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	100271	stor\$3 with (inbox database)	USPAT;	2003/12/23 13:13
		,	US-PGPUB:	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	100328	11with (stor\$3 with (inbox database))	USPAT;	2003/12/23 13:13
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2595	(((e electronic) adj (message mail)) email e-mail) with (stor\$3 with (inbox database))	USPAT; US-PGPUB;	2003/12/23 13:14
		with fillbox database))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	129183	(analyz\$3 identify\$3 check\$3) with (\$4relat\$3 relat\$3)	USPAT; US-PGPUB;	2003/12/23 13:30
	İ		EPO; JPO; DERWENT; IBM_TDB	
-	14	((((e electronic) adj (message mail)) email e-mail) with (stor\$3 with (inbox database))) same ((analyz\$3 identify\$3 check\$3)	USPAT; US-PGPUB;	2003/12/23 13:32
		with (\$4relat\$3 relat\$3))	EPO; JPO; DERWENT;	
_	4	(((((e electronic) adj (message mail)) email e-mail) with	IBM_TDB USPAT;	2003/12/23 13:34
		(stor\$3 with (inbox database))) same ((analyz\$3 identify\$3 check\$3) with (\$4relat\$3 relat\$3))) and (@ad<20000921	US-PGPUB; EPO; JPO;	
		@rlad<20000921)	DERWENT; IBM_TDB	
-	395	((((e electronic) adj (message mail)) email e-mail) with (stor\$3 with (inbox database))) and ((analyz\$3 identify\$3 check\$3)	USPAT; US-PGPUB;	2003/12/23 13:32
		with (\$4relat\$3 relat\$3))	EPO; JPO; DERWENT;	
-	346	(((((e electronic) adj (message mail)) email e-mail) with	IBM_TDB USPAT;	2003/12/23 13:33
		(stor\$3 with (inbox database))) and ((analyz\$3 identify\$3 check\$3) with (\$4relat\$3 relat\$3))) and (replay respon\$4)	US-PGPUB; EPO; JPO; DERWENT;	
	352	(((((e electronic) adj (message mail)) email e-mail) with	IBM_TDB USPAT;	2003/12/23 13:33
	332	((((e electronic) adj (message mail)) email e-mail) with (stor\$3 with (inbox database))) and ((analyz\$3 identify\$3 check\$3) with (\$4relat\$3 relat\$3))) and (reply respon\$4)	US-PGPUB; EPO; JPO;	2000/12/20 10:00
		onosito) mai (t noiaito roiaito),, ana (iopi, rosponti)	DERWENT; IBM_TDB	
-	142	(((((e electronic) adj (message mail)) email e-mail) with (stor\$3 with (inbox database))) and ((analyz\$3 identify\$3	USPAT; US-PGPUB;	2003/12/23 13:34
		check\$3) with (\$4relat\$3 relat\$3))) and ((reply respon\$4) with (template form format))	EPO; JPO; DERWENT;	
-	86	((((((e electronic) adj (message mail)) email e-mail) with	IBM_TDB USPAT;	2003/12/23 13:59
		(stor\$3 with (inbox database))) and ((analyz\$3 identify\$3 check\$3) with (\$4relat\$3 relat\$3))) and ((reply respon\$4) with (template form format))) and (@ad<20000921	US-PGPUB; EPO; JPO; DERWENT;	
_	239	@rlad<20000921) (correlat\$3 co-relat\$3 relative) near5 ((e electronic) adj mail)	IBM_TDB USPAT;	2003/12/23 13:40
	200	(controlates so relates relative) hears ((contents) and many	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	7715	generat\$3 near3 template	USPAT; US-PGPUB;	2003/12/23 13:41
			EPO; JPO; DERWENT;	
-	0	((correlat\$3 co-relat\$3 relative) near5 ((e electronic) adj mail))	IBM_TDB USPAT;	2003/12/23 13:41
		same (generat\$3 near3 template)	US-PGPUB; EPO; JPO; DERWENT;	
	11983	(creat\$3 generat\$3) near3 template	IBM_TDB USPAT;	2003/12/23 13:41
			US-PGPUB; EPO; JPO;	
		// 1.00 1.00 1.11 N E // 1.4 N H H H	DERWENT; IBM_TDB	0000140700 40 40
•	0	((correlat\$3 co-relat\$3 relative) near5 ((e electronic) adj mail)) same ((creat\$3 generat\$3) near3 template)	USPAT; US-PGPUB; EPO; JPO;	2003/12/23 13:42
			DERWENT; IBM_TDB	
l		l		L

-	135419	(creat\$3 generat\$3) near3 (reply response)	USPAT;	2003/12/23 13:42
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	((correlat\$3 co-relat\$3 relative) near5 ((e electronic) adj mail))	USPAT;	2003/12/23 13:56
		same ((creat\$3 generat\$3) near3 (reply response))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	55	reply near3 template	USPAT;	2003/12/23 13:57
		, ropi, notice tomplate	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	10	// 100 100 100	IBM_TDB	2002/42/22 42/57
-	18	((creat\$3 generat\$3) near3 template) same (reply near3 template)	USPAT; US-PGPUB;	2003/12/23 13:57
		template)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	(((creat\$3 generat\$3) near3 template) same (reply near3	USPAT;	2003/12/23 13:59
		template)) and (@ad<20000921 @rlad<20000921)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
! <u>_</u>	239	(((e electronic) adj (message mail)) email e-mail) with	USPAT;	2003/12/23 14:03
		((correlat\$3 co-relat\$3 relative) near5 ((e electronic) adj mail))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(IBM_TDB	2003/12/23 14:04
-	0	(reply near3 template) same ((((e electronic) adj (message mail)) email e-mail) with ((correlat\$3 co-relat\$3 relative) near5	USPAT; US-PGPUB;	2003/12/23 14.04
		((e electronic) adj mail)))	EPO; JPO;	
	1	((C Clossic may and main) //	DERWENT;	
			IBM_TDB	
-	2	(reply near3 template) and ((((e electronic) adj (message	USPAT;	2003/12/23 14:05
	l	mail)) email e-mail) with ((correlat\$3 co-relat\$3 relative) near5	US-PGPUB;	
		((e electronic) adj mail)))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	26550	(pars\$3 extract\$3) near5 (header atttachment subject body)	USPAT;	2003/12/23 14:06
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	264	(((e electronic) adj (message mail)) email e-mail) with	IBM_TDB USPAT;	2003/12/23 14:06
-	204	(((e electronic) adj (niessage maii) emaii e-maii) with ((pars\$3 extract\$3) near5 (header atttachment subject body))	US-PGPUB;	2000/12/20 17:00
		(New 1940 Sale and Angel of Manager and Ma	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(reply near3 template) and ((((e electronic) adj (message	USPAT;	2003/12/23 14:07
		mail)) email e-mail) with ((pars\$3 extract\$3) near5 (header attrachment subject body)))	US-PGPUB;	
		attachment subject body)))	EPO; JPO; DERWENT;	
			IBM_TDB	